R1	-U	
paper		

0	Roll No. :	Total Printed Pages : 4
23	<b>7E4239</b>	
E4	B. Tech. (Sem. VII) (Main/Back) Examin Computer Enga.	ation, December-2012
	7CS3 Compiler Construction	

Time : 3 Hours]

[Maximum Marks : 80 [Min. Passing Marks : 24

NIL

2.

Attempt overall Five questions selecting one question from each unit. All questions carry equal marks. Schematic diagrams must be shown wherever necessary. And data you feel missing suitably be assumed and stated clearly.

Units of quantities used/calculated must be stated clearly.

Use of following supporting material is permitted during examination. (Mentioned in form No. 205)

1. NIL

## UNIT - I

- 1 (a) What do you understand by "Input Buffering" ? Explain Buffer pairs' and sentinels also ?
  - (b) What is a finite automata ? Explain NFA and DFA with an example ? Construct NFA, that recognizes  $(a/b)^*$  abb. Also show that whether the string *aabb* is accepted by this NFA or Not.

#### 2+4+2

8

OR

 1. (a) Explain all phases of compiler with suitable example.

 8

 (b) What are the main functions performed by Lexical analyzer ?

 4

 (c) Differentiate between compliler and interpreter.

 4

 7E4239]

RTU

# UNIT - II

- 2 (a) What do you mean by LR parser ? What is the model of an LR parser ? Explain.
  - (b) Consider the augmented expression grammar give below-  $E' \rightarrow E$  $E \rightarrow E + T/T$

 $T \to T * F/F$ 

 $F \rightarrow (E)/id$ 

If I is the set of two items  $[E' \rightarrow E.]$  and  $[E \rightarrow E.+T]$ , then calcualte - goto (I, +)

(c) Explain the model of predictive parser.

### OR

2 (a) Calculate Canonical collection of sets of LR(0) items of grammar given below -

 $E' \to E$  $E \to E + T/T$  $T \to T * F/F$  $F \to (E)/id$ 

(b) Calculate Canonical collection of sets of LR(1) items for the grammar given below - $S' \rightarrow S$  $S \rightarrow CC$  $C \rightarrow \epsilon C/d$ 8

 $\mathbf{2}$ 

7E4239]

[Contd...

4

4

4

8

RTU

# UNIT - III

OR

Define Syntax Directed Definitions ? Define the expressions



- Define L-attributed definition. Explain the specification of a simple type checker with example. 8
- (b) Write short notes on : (any two)
  - Types of three address statements (i)
  - Intermediate code generation (ii)
  - (iii) Synthesized attribute.

3

3

(a)

(a)

4 + 4



(a) What do you mean by DAG ? Write an algorithm for constructing a DAG.

4

4

8

RTU

(b) Consider the following Basic Block, and then construct the DAG for it.

 $t_1 = a + b$  $t_2 = c + d$  $t_3 = e - t_2$ 

 $t_4 = t_1 - t_3$ 

(b) Explain peephole optimization ?

